



Loving Leather

# SECTION LACQUER® COLOURS

*Nature, beauty, technology*



## PROFESSIONAL EDGE PAINTS

*Premium Italian edge paint ideal for finishing the cut edges of leather goods such as bags, belts, shoe uppers, and saddlery.*

- Provides superior coverage and excellent finish without the need for hand buffing or a clear coat.
- Special formula of natural and synthetic polymers provides a durable and flexible finish.
- Water based for easy clean up.
- Non-Flammable - Non-Toxic
- Apply by hand or with machines
- Dries to the touch in minutes - fully sets in 48 hours.
- Dry times can be accelerated with limited heat, which can also increase resistance to water.
- Sold in convenient 1 liter plastic bottles
- *Available in 194 colors!*

### STANDARD FINISHES:

#### **AR6350 series**

*Glossy Finish*

#### **AR6400 series**

*Matt Finish*

Medium-high viscosity. Provides excellent adhesion and high flexibility with wet-dry abrasion resistance. Best for firm, less absorbant leather. Roll application with machine or spray.

#### **AR6350P series**

*Glossy PLUS Finish*

#### **AR6400P(T) series**

*Matt PLUS Finish*

Dense, High viscosity. Excellent adhesion and high flexibility with wet-dry abrasion resistance. Designed for soft, absorbent leathers. Requires fewer applications on normal leathers. Apply with machine for roll or by hand.

### BASIC APPLICATION:

- Apply first coat of edge paint and let dry
- With firm leathers burnish with soft leather wheel - for soft leathers use hot glazing tool.
- Apply a second coat and let dry.
- Repeat as needed.
- For best results, apply the final coat within two hours of application of the edge paint. Allow 48 hours to completely set.

### OPTIONS:

- Primer AR6250
- HS Series Edge Filler
- Top a coat of clear fixing agent UW 13/8 or UW/9

### SPECIAL EDGE PAINTS

#### **AR6400MW series**

*EXTRA DENSE Matt Finish*

Extra Dense for roll or hand application. Can be used as a base coat in very absorbant leathers to reduce required applications.

**AR6450/MW** - Neutral

**AR6451/MW** - White

**AR6455/MW** - Yellow

**AR6471/MW** - Red

**AR6464/MW** - Deep Brown

**AR6499/MW** - Black

### SPECIAL COLORS

#### METALLICS:

- Water-based, Premium Quality Metallic Edge Paint. Extremely flexible and abrasion resistant.
- Designed to used on top of a base coat (HS5750)
- Seal with a clear coat such as UW/8, UW/9, or AR6350P

**AR6460/T-277** - BRONZE

**AR6460/T-440** - GOLD

**AR6460/T-781** - SILVER

#### FLUORESCENTS:

**AR6460/T-2501** - YELLOW

**AR6460/T-2503** - ORANGE

**AR6460/T-2504** - GREEN

### HS series

#### EDGE FILLER


Design to prepare (fill) the edge with fewer applications. Apply to a raw edge to produce a rounded, rubbery surface. It will take a slight buff but not intended to be burnished or hot glazed. Finish with a standard color coat. HS can be a quick solution to a seamless edge, with as few as one HS coat and one color coat.

**HS5750** - Neutral

**HS5751** - White

**HS5764** - Deep Brown

**HS5799** - Black



*Loving Leather*

**EDGE PAINT**

**1-800-327-9420**

**www.Campbell-Randall.com**



# SECTION LACQUER® COLOURS

*Nature, beauty, technology*



## PROFESSIONAL EDGE PAINTS



Indicates a color that may be in-stock (No minimum if in stock - availability subject to change)

- **Non-Stock** colors can be mixed for an additional cost (minimum 1 Lt *Matt PLUS Finish only*), or can they can be ordered at the normal price with a 15 liter minimum.
- Volume discounts available for orders of 20 liters or more.

		<b>1</b> AR 6460/T 501	<b>13</b> AR 6460/T 513	<b>25</b> AR 6460/T 525	<b>37</b> AR 6460/T 537
		<b>2</b> AR 6460/T 502	<b>14</b> AR 6460/T 514	<b>26</b> AR 6460/T 1201	<b>38</b> AR 6460/T 538
		<b>3</b> AR 6460/T 503	<b>15</b> AR 6460/T 452	<b>27</b> AR 6460/T 1202	<b>39</b> AR 6460/T 539 ✓
		<b>4</b> AR 6460/T 937	<b>16</b> AR 6460/T 516	<b>28</b> AR 6460/T 528	<b>40</b> AR 6460/T 540 ✓
<b>301</b> WHITE ✓ AR 6451/T	<b>309</b> CHESTNUT ✓ AR 6460/T 1078	<b>5</b> AR 6460/T 505	<b>17</b> AR 6460/T 1200	<b>29</b> AR 6460/T 529	<b>41</b> AR 6460/T 1204 ✓
<b>302</b> BEIGE ✓ AR 6460/T 1095	<b>310</b> HAZEL ✓ AR 6460/T 1112	<b>6</b> AR 6460/T 506	<b>18</b> AR 6460/T 518	<b>30</b> AR 6460/T 463	<b>42</b> AR 6460/T 542 ✓
<b>303</b> YELLOW ✓ AR 6455/T	<b>311</b> LIGHT BROWN ✓ AR 6467/T	<b>7</b> AR 6460/T 507	<b>19</b> AR 6460/T 1107	<b>31</b> AR 6460/T 531	<b>43</b> AR 6460/T 543 ✓
<b>304</b> RED ✓ AR 6471/T	<b>312</b> MED. BROWN ✓ AR 6472/T	<b>8</b> AR 6460/T 759	<b>20</b> AR 6460/T 892	<b>32</b> AR 6460/T 532	<b>44</b> AR 6460/T 544 ✓
<b>305</b> BORDEAUX ✓ AR 6458/T	<b>313</b> RED-BROWN ✓ AR 6477/T	<b>9</b> AR 6460/T 509	<b>21</b> AR 6460/T 521	<b>33</b> AR 6460/T 3023	<b>45</b> AR 6460/T 545
<b>306</b> DARK BORDEAUX ✓ AR 6460/T 710	<b>314</b> DARK BROWN ✓ AR 6460/T 144	<b>10</b> AR 6460/T 343	<b>22</b> AR 6460/T 522	<b>34</b> AR 6460/T 534	<b>46</b> AR 6460/T 546
<b>307</b> GREEN ✓ AR 6453/T	<b>315</b> EBONY ✓ AR 6476/T	<b>11</b> AR 6460/T 157	<b>23</b> AR 6460/T 523 ✓	<b>35</b> AR 6460/T 535 ✓	<b>47</b> AR 6460/T 547
<b>308</b> NAVY ✓ AR 6485/T	<b>316</b> BLACK ✓ AR 6499/T	<b>12</b> AR 6460/T 1063	<b>24</b> AR 6460/T 524	<b>36</b> AR 6460/T 1203	<b>48</b> AR 6460/T 548

1-800-327-9420

www.Campbell-Randall.com

EDGE PAINT



# SECTION LACQUER® COLOURS PROFESSIONAL EDGE PAINTS

*Nature, beauty, technology*

## PRIMERS & CLEAR COATS

### CLEAR EDGE

### PRIMER

#### AR 6250

*Creates a clear, extremely tough and flexible finish on leather edges. An excellent primer for better paint adhesion.*

- Works with stained leather as well as unstained leather.
- Water based for easy clean up.
- Non-Flammable - Non-Toxic
- Apply by hand or with machines

### CLEAR FINISHES

#### PROFESSIONAL EDGE PAINTS

*For a clear, tough and flexible finish*

- Works wonderfully as a sealant for both stained and unstained leather.
- Water based for easy clean up.
- Non-Flammable - Non-Toxic
- Apply by hand or with machines

#### UW/8

#### Clear Top Coat - Glossy

- Durable, high gloss top finish Does not need to be buffed to produce a high gloss.
- Can also used as an adhesion promoter when applied before the edge paint, when applying on tight grain, less absorbent leathers.
- Can be applied as a final coat to matt finish paint to create a glossy top coat

#### AR 6350P

#### Clear Top Coat - Dense Glossy

#### UW/9

#### Clear Top Coat - Matt

- Same as UW/8, but matt top finish.
- Can be applied as a final coat to glossy finish paint to create a matt top coat

#### AR 6450P

#### Clear Top Coat - Dense Matt

<b>49</b> AR 6460/T 549	<b>62</b> AR 6460/T 562	<b>75</b> ✓ AR 6460/T 1214	<b>88</b> AR 6460/T 588
<b>50</b> AR 6460/T 1205	<b>63</b> AR 6460/T 563	<b>76</b> AR 6460/T 1215	<b>89</b> ✓ AR 6460/T 1221
<b>51</b> AR 6460/T 1206	<b>64</b> ✓ AR 6460/T 564	<b>77</b> AR 6460/T 577	<b>90</b> ✓ AR 6460/T 1114
<b>52</b> ✓ AR 6460/T 552	<b>65</b> ✓ AR 6460/T 1208	<b>78</b> AR 6460/T 1216	<b>91</b> ✓ AR 6460/T 591
<b>53</b> AR 6460/T 422	<b>66</b> AR 6460/T 1209	<b>79</b> AR 6460/T 579	<b>92</b> AR 6460/T 592
<b>54</b> AR 6460/T 554	<b>67</b> AR 6460/T 473	<b>80</b> AR 6460/T 1217	<b>93</b> ✓ AR 6460/T 593
<b>55</b> AR 6460/T 555	<b>68</b> AR 6460/T 1210	<b>81</b> AR 6460/T 1218	<b>94</b> AR 6460/T 594
<b>56</b> AR 6460/T 556	<b>69</b> AR 6460/T 1211	<b>82</b> AR 6460/T 1219	<b>95</b> ✓ AR 6460/T 595
<b>57</b> AR 6460/T 347	<b>70</b> AR 6460/T 788	<b>83</b> ✓ AR 6460/T 1220	<b>96</b> ✓ AR 6460/T 596
<b>58</b> AR 6460/T 119	<b>71</b> AR 6460/T 1094	<b>84</b> ✓ AR 6460/T 584	<b>97</b> ✓ AR 6460/T 597
<b>59</b> AR 6460/T 1207	<b>72</b> AR 6460/T 1212	<b>85</b> AR 6460/T 585	<b>98</b> AR 6460/T 598
<b>60</b> AR 6460/T 560	<b>73</b> AR 6460/T 23	<b>86</b> AR 6460/T 586	<b>99</b> AR 6460/T 599
<b>61</b> AR 6460/T 561	<b>74</b> AR 6460/T 1213	<b>87</b> AR 6460/T 587	<b>100</b> AR 6460/T 600



# SECTION LACQUER® COLOURS PROFESSIONAL EDGE PAINTS

*Nature, beauty, technology*

<b>101</b> AR 6460/T 601	<b>114</b> AR 6460/T 614	<b>127</b> AR 6460/T 1175	<b>140</b> AR 6460/T 640	<b>153</b> AR 6460/T 1232	<b>166</b> ✓ AR 6460/T 666
<b>102</b> AR 6460/T 1222	<b>115</b> AR 6460/T 1224	<b>128</b> AR 6460/T 1227	<b>141</b> AR 6460/T 641	<b>154</b> AR 6460/T 654	<b>167</b> ✓ AR 6460/T 667
<b>103</b> AR 6460/T 603	<b>116</b> ✓ AR 6460/T 616	<b>129</b> AR 6460/T 629	<b>142</b> ✓ AR 6460/T 1231	<b>155</b> AR 6460/T 655	<b>168</b> AR 6460/T 668
<b>104</b> AR 6460/T 357	<b>117</b> AR 6460/T 617	<b>130</b> ✓ AR 6460/T 1228	<b>143</b> AR 6460/T 643	<b>156</b> AR 6460/T 1233	<b>169</b> AR 6460/T 1235
<b>105</b> AR 6460/T 1007	<b>118</b> AR 6460/T 819	<b>131</b> AR 6460/T 631	<b>144</b> ✓ AR 6460/T 3040	<b>157</b> AR 6460/T 657	<b>170</b> AR 6460/T 670
<b>106</b> AR 6460/T 606	<b>119</b> AR 6460/T 1225	<b>132</b> AR 6460/T 1229	<b>145</b> AR 6460/T 645	<b>158</b> AR 6460/T 658	<b>171</b> AR 6460/T 671
<b>107</b> ✓ AR 6460/T 1223	<b>120</b> ✓ AR 6460/T 1226	<b>133</b> AR 6460/T 1230	<b>146</b> AR 6460/T 646	<b>159</b> AR 6460/T 659	<b>172</b> AR 6460/T 672
<b>108</b> ✓ AR 6460/T 608	<b>121</b> AR 6460/T 621	<b>134</b> AR 6460/T 634	<b>147</b> AR 6460/T 647	<b>160</b> ✓ AR 6460/T 660	<b>173</b> AR 6460/T 673
<b>109</b> AR 6460/T 943	<b>122</b> AR 6460/T 622	<b>135</b> AR 6460/T 635	<b>148</b> ✓ AR 6460/T 648	<b>161</b> ✓ AR 6460/T 661	<b>174</b> AR 6460/T 674
<b>110</b> AR 6460/T 63	<b>123</b> AR 6460/T 623	<b>136</b> AR 6460/T 636	<b>149</b> AR 6460/T 649	<b>162</b> AR 6460/T 662	<b>175</b> AR 6460/T 675
<b>111</b> AR 6460/T 611	<b>124</b> AR 6460/T 624	<b>137</b> ✓ AR 6460/T 637	<b>150</b> AR 6460/T 650	<b>163</b> ✓ AR 6460/T 663	<b>176</b> AR 6460/T 676
<b>112</b> ✓ AR 6460/T 233	<b>125</b> AR 6460/T 625	<b>138</b> ✓ AR 6460/T 638	<b>151</b> AR 6460/T 651	<b>164</b> AR 6460/T 1234	<b>177</b> ✓ AR 6460/T 677
<b>113</b> AR 6460/T 137	<b>126</b> AR 6460/T 626	<b>139</b> ✓ AR 6460/T 639	<b>152</b> AR 6460/T 652	<b>165</b> AR 6460/T 967	<b>178</b> ✓ AR 6460/T 678

**1-800-327-9420**

[www.Campbell-Randall.com](http://www.Campbell-Randall.com)

**EDGE PAINT**